

# Math Test – Calculator

# 55 MINUTES, 38 QUESTIONS

Turn to Section 4 of your answer sheet to answer the questions in this section.


# DIRECTIONS

**For questions 1-30**, solve each problem, choose the best answer from the choices provided, and fill in the corresponding circle on your answer sheet. **For questions 31-38**, solve the problem and enter your answer in the grid on the answer sheet. Please refer to the directions before question 31 on how to enter your answers in the grid. You may use any available space in your test booklet for scratch work.

# NOTES

- 1. The use of a calculator **is permitted**.
- 2. All variables and expressions used represent real numbers unless otherwise indicated.
- 3. Figures provided in this test are drawn to scale unless otherwise indicated.
- 4. All figures lie in a plane unless otherwise indicated.
- 5. Unless otherwise indicated, the domain of a given function f is the set of all real numbers x for which f(x) is a real number.

## REFERENCE




The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is  $2\pi$ .

The sum of the measures in degrees of the angles of a triangle is 180.







The graph above shows Marilyn's distance from her campsite during a 3-hour hike. She stopped for 30 minutes during her hike to have lunch. Based on the graph, which of the following is closest to the time she finished lunch and continued her hike?

- А) 12:40 р.м.
- B) 1:10 P.M.
- С) 1:40 Р.М.
- D) 2:00 P.M.

2


	Age		Total
Gender	Under 40	40 or older	Iotal
Male	12	2	14
Female	8	3	11
Total	20	5	25

The table above shows the distribution of age and gender for 25 people who entered a contest. If the contest winner will be selected at random, what is the probability that the winner will be either a female under age 40 or a male age 40 or older?

A)  $\frac{4}{25}$ B)  $\frac{10}{25}$ C)  $\frac{11}{25}$ D)  $\frac{16}{25}$ 



The graph below shows the total number of music album sales, in millions, each year from 1997 through 2009.



Based on the graph, which of the following best describes the general trend in music album sales from 1997 through 2009 ?

- A) Sales generally increased each year since 1997.
- B) Sales generally decreased each year since 1997.
- C) Sales increased until 2000 and then generally decreased.
- D) Sales generally remained steady from 1997 through 2009.

Λ	
4	

п	1	2	3	4
f(n)	-2	1	4	7

The table above shows some values of the linear function f. Which of the following defines f?

- A) f(n) = n 3
- B) f(n) = 2n 4
- C) f(n) = 3n 5
- D) f(n) = 4n 6

## 5

At Lincoln High School, approximately 7 percent of enrolled juniors and 5 percent of enrolled seniors were inducted into the National Honor Society last year. If there were 562 juniors and 602 seniors enrolled at Lincoln High School last year, which of the following is closest to the total number of juniors and seniors at Lincoln High School last year who were inducted into the National Honor Society?

- A) 140
- B) 69
- C) 39
- D) 30

6

$$3x^2 - 5x + 2$$
$$5x^2 - 2x - 6$$

Which of the following is the sum of the two polynomials shown above?

- A)  $8x^2 7x 4$
- B)  $8x^2 + 7x 4$
- C)  $8x^4 7x^2 4$
- D)  $8x^4 + 7x^2 4$



If $\frac{3}{5}w = \frac{4}{3}$ , what is the value of $w$
A) $\frac{9}{20}$
B) $\frac{4}{5}$
C) $\frac{5}{4}$
D) $\frac{20}{9}$

?

# 9

Nate walks 25 meters in 13.7 seconds. If he walks at this same rate, which of the following is closest to the distance he will walk in 4 minutes?

- A) 150 meters
- B) 450 meters
- C) 700 meters
- D) 1,400 meters

#### 8

The average number of students per classroom at Central High School from 2000 to 2010 can be modeled by the equation y = 0.56x + 27.2, where *x* represents the number of years since 2000, and *y* represents the average number of students per classroom. Which of the following best describes the meaning of the number 0.56 in the equation?

- A) The total number of students at the school in 2000
- B) The average number of students per classroom in 2000
- C) The estimated increase in the average number of students per classroom each year
- D) The estimated difference between the average number of students per classroom in 2010 and in 2000



# Questions 10 and 11 refer to the following information.

Planet	Acceleration due to gravity $\left(\frac{m}{\sec^2}\right)$
Mercury	3.6
Venus	8.9
Earth	9.8
Mars	3.8
Jupiter	26.0
Saturn	11.1
Uranus	10.7
Neptune	14.1

The chart above shows approximations of the

acceleration due to gravity in meters per

second squared  $\left(\frac{m}{\sec^2}\right)$  for the eight planets in our solar system. The weight of an object on a given planet can be found by using the formula W = mg, where W is the weight of the object measured in newtons, m is the mass of the object measured in kilograms, and g is the acceleration due to gravity on the planet measured in m



# 10

What is the weight, in newtons, of an object on Mercury with a mass of 90 kilograms?

- A) 25
- B) 86
- C) 101
- D) 324


# 11


An object on Earth has a weight of 150 newtons. On which planet would the same object have an approximate weight of 170 newtons?

- A) Venus
- B) Saturn
- C) Uranus
- D) Neptune



If the function f has five distinct zeros, which of the following could represent the complete graph of f in the *xy*-plane?





14

The cost of using a telephone in a hotel meeting room is \$0.20 per minute. Which of the following equations represents the total cost c, in dollars, for h hours of phone use?

A) 
$$c = 0.20(60h)$$

B) 
$$c = 0.20h + 60$$

C) 
$$c = \frac{60h}{0.20}$$

D) 
$$c = \frac{0.20h}{60}$$

13

$$h = -16t^2 + vt + k$$

The equation above gives the height h, in feet, of a ball t seconds after it is thrown straight up with an initial speed of v feet per second from a height of k feet. Which of the following gives v in terms of h, t, and k ?

A) 
$$v = h + k - 16t$$

B) 
$$v = \frac{h-k+16}{t}$$

$$C) \quad v = \frac{h+k}{t} - 16t$$


D) 
$$v = \frac{h-k}{t} + 16t$$



In order to determine if treatment X is successful in improving eyesight, a research study was conducted. From a large population of people with poor eyesight, 300 participants were selected at random. Half of the participants were randomly assigned to receive treatment X, and the other half did not receive treatment X. The resulting data showed that participants who received treatment X had significantly improved eyesight as compared to those who did not receive treatment X. Based on the design and results of the study, which of the following is an appropriate conclusion?

- A) Treatment X is likely to improve the eyesight of people who have poor eyesight.
- B) Treatment X improves eyesight better than all other available treatments.
- C) Treatment X will improve the eyesight of anyone who takes it.
- D) Treatment X will cause a substantial improvement in eyesight.





Graphs of the functions f and g are shown in the *xy*-plane above. For which of the following values of x does f(x) + g(x) = 0?

- A) -3
- B) -2
- C) -1
- D) 0



# Questions 17 and 18 refer to the following information.

$$S(P) = \frac{1}{2}P + 40$$
$$D(P) = 220 - P$$

The quantity of a product supplied and the quantity of the product demanded in an economic market are functions of the price of the product. The functions above are the estimated supply and demand functions for a certain product. The function S(P) gives the quantity of the product supplied to the market when the price is P dollars, and the function D(P) gives the quantity of the product demanded by the market when the price is P dollars.

17

How will the quantity of the product supplied to the market change if the price of the product is increased by \$10?

- A) The quantity supplied will decrease by 5 units.
- B) The quantity supplied will increase by 5 units.
- C) The quantity supplied will increase by 10 units.
- D) The quantity supplied will increase by 50 units.

## 18

At what price will the quantity of the product supplied to the market equal the quantity of the product demanded by the market?

- A) \$90
- B) \$120
- C) \$133
- D) \$155


## 19

Graphene, which is used in the manufacture of integrated circuits, is so thin that a sheet weighing one ounce can cover up to 7 football fields. If a football field has an area of approximately  $1\frac{1}{3}$  acres, about how many acres could 48 ounces of graphene cover?

- A) 250
- B) 350
- C) 450
- D) 1,350







Michael swam 2,000 yards on each of eighteen days. The scatterplot above shows his swim time for and corresponding heart rate after each swim. The line of best fit for the data is also shown. For the swim that took 34 minutes, Michael's actual heart rate was about how many beats per minutes less than the rate predicted by the line of best fit?

- A) 1
- B) 2
- C) 3
- D) 4

## 21

Of the following four types of savings account plans, which option would yield exponential growth of the money in the account?

- A) Each successive year, 2% of the initial savings is added to the value of the account.
- B) Each successive year, 1.5% of the initial savings and \$100 is added to the value of the account.
- C) Each successive year, 1% of the current value is added to the value of the account.
- D) Each successive year, \$100 is added to the value of the account.


#### 22

The sum of three numbers is 855. One of the numbers, x, is 50% more than the sum of the other two numbers. What is the value of x ?

- A) 570
- B) 513
- C) 214
- D) 155



25



Note: Figures not drawn to scale.


The angles shown above are acute and  $sin(a^\circ) = cos(b^\circ)$ . If a = 4k - 22 and b = 6k - 13, what is the value of k ?

- A) 4.5
- B) 5.5
- C) 12.5
- D) 21.5

# 24

Mr. Kohl has a beaker containing n milliliters of solution to distribute to the students in his chemistry class. If he gives each student 3 milliliters of solution, he will have 5 milliliters left over. In order to give each student 4 milliliters of solution, he will need an additional 21 milliliters. How many students are in the class?

- A) 16
- B) 21
- C) 23
- D) 26



A grain silo is built from two right circular cones and a right circular cylinder with internal measurements represented by the figure above. Of the following, which is closest to the volume of the grain silo, in cubic feet?

- A) 261.8
- B) 785.4
- C) 916.3
- D) 1,047.2

# CONTINUE



In the *xy*-plane, the line determined by the points (2, k) and (k, 32) passes through the origin. Which of the following could be the value of k ?

- A) 0
- B) 4
- C) 8
- D) 16

## 27

A rectangle was altered by increasing its length by 10 percent and decreasing its width by p percent. If these alterations decreased the area of the rectangle by 12 percent, what is the value of p?

A) 12

- B) 15
- C) 20
- D) 22

# 28

In planning maintenance for a city's infrastructure, a civil engineer estimates that, starting from the present, the population of the city will decrease by 10 percent every 20 years. If the present population of the city is 50,000, which of the following expressions represents the engineer's estimate of the population of the city t years from now?

A) 50,000(0.1)<sup>20t</sup>

B) 50,000 $(0.1)^{\frac{t}{20}}$ 

- C) 50,000(0.9)<sup>20t</sup>
- D) 50,000(0.9) $\frac{t}{20}$



	Handedness	
Gender	Left	Right
Female		
Male		
Total	18	122


The incomplete table above summarizes the number of left-handed students and right-handed students by gender for the eighth-grade students at Keisel Middle School. There are 5 times as many right-handed female students as there are left-handed female students, and there are 9 times as many right-handed male students as there are left-handed male students. If there is a total of 18 left-handed students and 122 right-handed students in the school, which of the following is closest to the probability that a right-handed student selected at random is female? (Note: Assume that none of the eighth-grade students are both right-handed and left-handed.)

- A) 0.410
- B) 0.357
- C) 0.333
- D) 0.250

# 30

$$3x + b = 5x - 7$$
$$3y + c = 5y - 7$$

In the equations above, b and c are constants. If b is c minus  $\frac{1}{2}$ , which of the following is true? A) x is y minus  $\frac{1}{4}$ . B) x is y minus  $\frac{1}{2}$ . C) x is y minus 1.





# DIRECTIONS

For questions 31-38, solve the problem and enter your answer in the grid, as described below, on the answer sheet.

- 1. Although not required, it is suggested that you write your answer in the boxes at the top of the columns to help you fill in the circles accurately. You will receive credit only if the circles are filled in correctly.
- 2. Mark no more than one circle in any column.
- 3. No question has a negative answer.
- 4. Some problems may have more than one correct answer. In such cases, grid only one answer.
- 5. Mixed numbers such as  $3\frac{1}{2}$  must be gridded

as 3.5 or 7/2. (If 3 1 / 2 is entered into the

grid, it will be interpreted as  $\frac{31}{2}$ , not  $3\frac{1}{2}$ .)

6. Decimal answers: If you obtain a decimal answer with more digits than the grid can accommodate, it may be either rounded or truncated, but it must fill the entire grid.

Answer:  $\frac{7}{12}$ Answer: 2.5 Write \_\_\_\_\_ 2 1 2 7 / in boxes. ← Fraction line  $\bigcirc$ Ţ  $\bigcirc$  $\left( \cdot \right)$  $\bigcirc$ (.)(.)(0)  $(\mathbf{0})$  $(\mathbf{0})$  $(\mathbf{0})$ (0)1 (1)(1)(1)(1)(1)(1)(2) (2) (2)(2)(2)(2)3 Grid in 3 3 3 3 33 3 result. (4) (4) (4) $(\mathbf{4})$ (4) (4)  $(\mathbf{4})$ (5) (5) (5) (5) (5) (5) (5) 6 6 (6) 6666 (6) (7) $\overline{7}$  $\overline{7}$  $\overline{(7)}$  $\overline{7}$ (7)(8) (8) (8) (8) (8) 88 (8) (9) (9) (9) (9) (9) 9 (9)(9)

Acceptable ways to grid  $\frac{2}{3}$  are:

66

 $(\mathbf{0})$ (0)

(1)

2 2

3 3

**(4**)


(5) (5)


 $\overline{\mathcal{O}}$ 

(1)

4

(7)





5


(4)

(7)

← Decimal

point

Answer: 201 – either position is correct



NOTE: You may start your answers in any column, space permitting. Columns you don't need to use should be left blank.



Tickets for a school talent show cost \$2 for students and \$3 for adults. If Chris spends at least \$11 but no more than \$14 on x student tickets and 1 adult ticket, what is one possible value of x ?

## 32

Ages of the First 12 United States Presidents at the Beginning of Their Terms in Office

President	Age (years)	President	Age (years)
Washington	57	Jackson	62
Adams	62	Van Buren	55
Jefferson	58	Harrison	68
Madison	58	Tyler	51
Monroe	59	Polk	50
Adams	58	Taylor	65

The table above lists the ages of the first 12 United States presidents when they began their terms in office. According to the table, what was the mean age, in years, of these presidents at the beginning of their terms? (Round your answer to the nearest tenth.)

# 33

# $(-3x^2 + 5x - 2) - 2(x^2 - 2x - 1)$

If the expression above is rewritten in the form  $ax^2 + bx + c$ , where *a*, *b*, and *c* are constants, what is the value of *b* ?

# 34

In a circle with center *O*, central angle *AOB* has a measure of  $\frac{5\pi}{4}$  radians. The area of the sector formed by central angle *AOB* is what fraction of the area of the circle?



An online store receives customer satisfaction ratings between 0 and 100, inclusive. In the first 10 ratings the store received, the average (arithmetic mean) of the ratings was 75. What is the least value the store can receive for the 11th rating and still be able to have an average of at least 85 for the first 20 ratings?

# 36

# $y \le -15x + 3000$ $y \le 5x$

In the *xy*-plane, if a point with coordinates (a, b) lies in the solution set of the system of inequalities above, what is the maximum possible value of b?



# Questions 37 and 38 refer to the following information.

If shoppers enter a store at an average rate of r shoppers per minute and each stays in the store for an average time of T minutes, the average number of shoppers in the store, N, at any one time is given by the formula N = rT. This relationship is known as Little's law.

The owner of the Good Deals Store estimates that during business hours, an average of 3 shoppers per minute enter the store and that each of them stays an average of 15 minutes. The store owner uses Little's law to estimate that there are 45 shoppers in the store at any time.

37

Little's law can be applied to any part of the store, such as a particular department or the checkout lines. The store owner determines that, during business hours, approximately 84 shoppers per hour make a purchase and each of these shoppers spend an average of 5 minutes in the checkout line. At any time during business hours, about how many shoppers, on average, are waiting in the checkout line to make a purchase at the Good Deals Store?

# 38

The owner of the Good Deals Store opens a new store across town. For the new store, the owner estimates that, during business hours, an average of 90 shoppers per <u>hour</u> enter the store and each of them stays an average of 12 minutes. The average number of shoppers in the new store at any time is what percent less than the average number of shoppers in the original store at any time? (Note: Ignore the percent symbol when entering your answer. For example, if the answer is 42.1%, enter 42.1)

# **STOP**

# If you finish before time is called, you may check your work on this section only. Do not turn to any other section.